


Portable Macko Fuel Filter System (Portable Fuel Tank Cleaning System GR-3300)



Pump Model :AMTP-208HAVB / Source :220v x 50hz x 750w
 Pump Capacity :max 12.5L/min / 700L ~ 800L/per hour
 Max Pressure :10kg/cm² / Inlet & outlet dia : 3/4"
 Filter Model :GR-7020 (Dual type)
 Dimensions : L430 x B560 x H1150 mm
 Weight : about 80 kg

Contact : PT Findotek, Ruko Rotredame Blok G No 19, Kota Deltamas, Cikarang Pusat 17530,
 Indonesia. Tel/Fax : +62-21-89970350; SMS : +62-8119202383 email : sfwong111@gmail.com;
www.filtersindo.com

0



Contact : PT Findotek, Ruko Rotredame Blok G No 19, Kota Deltamas, Cikarang Pusat 17530, Indonesia. Tel/Fax : +62-21-89970350; SMS : +62-8119202383 email : sfwong111@gmail.com; www.filtersindo.com

o

Portable Fuel Tank Cleaning Unit GR-3300

The GR-3300 Portable Fuel Tank Cleaning Unit is a portable contaminate removal system for use in both above and below ground storage tanks. It is designed specifically to remove water and other contaminants common to stored diesel fuel.

The system operates on 220 AC 50 Hz power and is light weight enough for one person handling and operation.

It is designed to fit through doorways and up stairways. It can be used in almost any location from rooftops to shipboard.

This Portable Fuel Tank Cleaning unit utilizes Macko fuel purification technology, which contains strong magnet and easily replaceable filter. It is used as primary fuel purification and removes free water, including emulsified water and normal solid or particulate contaminants found in fuel, including sludge and algae to approximately 10 microns. The filters found on diesel engines provide the secondary and final fuel filtration from 2 to 5 microns.

The Portable Fuel Tank Cleaning unit is factory pre-assembled and consists of a Macko GR-7020 Fuel Purifier, a self priming fuel pump, portable hand-cart, power cable, suction and return hoses.